## **Green & Gold Plant List**

# 2018 Update

The following plant list is an update of the 2009 Green & Gold Plan plant palette. The sections are divided into recommended trees, shrubs, grasses, and groundcover and vines based on the experience of Facilities Management Grounds Department, Student Housing, and the Office of Environmental Planning & Sustainability. The below list reflects the goals of the Green & Gold Plan to develop sustainable landscapes that conserve water, energy and labor.

### **RESTRICTED PLANTS:**

The following plants should not be used on campus.

### **TREES**

SPECIES NAME	NOTES
Botanical/Common Name	
Celtis sinensis	
Japanese Hackberry	
Liquidamber styracifolia/	Roots can cause pavement damage.
Sweetgum	
Pinus halapensis/	
Aleppo Pine	
Platanus Mexicana/	Roots can lift pavement, fruit litter can be a problem. Known PSHB host.
Mexican Sycamore	
Robinia ambigua/	May sucker; needs early pruning to maintain compact branching.
Locust 'Purple Robe'	Does not thrive with campus soils.

As of March 2015 certain trees species have been identified as being infested with the Polyphagous Shot Hole Borer (PSHB). Host and non-reproductive host trees should not be planted on campus. For a current list of reproductive host species and fusarium susceptible trees visit: http://eskalenlab.ucr.edu/handouts/fieldidentificationguide.pdf

### SHRUBS/GRASSES

SPECIES NAME	NOTES
Botanical/Common Name	
Nassella tenuissima/	Invasive.
Mexican feathergrass	
Pennisetum setaceum/	Invasive.
Fountain grass	

### **GROUNDCOVERS**

SPECIES NAME	NOTES
Botanical/Common Name	
Iceplants:	This plant is listed as an invasive by the California Invasive Plant Council
Carpobrotus edulis/	(CAL-IPC). Suppresses growth of adjacent trees and shrubs.
Highway Iceplants &	
Mesembryanthemum	
crystallinum/	
Tulbaghia violacea/Society	Pungent odor.
Garlic	

### **APPROVED PLANT LIST:**

The following plant list serves as a guide for choosing plants for landscape projects. Plants should be chosen based on conservation of water, longevity, and ease of maintenance.

Legend:

Size: Height and Spread in Feet (H'xW')

Type: E – Evergreen, SE – Semi-evergreen, D- Deciduous, F- Flowering, N- Native

Water Requirements: VL = very low, L = low, M= medium, H= high

Water requirements based on Bob Perry's book 'Landscape Plants for California Gardens'.

### **TREES**

SPECIES NAME	SIZE (H X	TYPE	WATER	NOTES
Botanical/Common Name	W)	111.	REQ.	NOTES
· · · · · · · · · · · · · · · · · · ·	<i>'</i>	_		
Agonis flexuosa/	25-35'	E	M/L	Does well with little attention. Drought
Peppermint Tree				tolerant once established. Requires good
				drainage. Good for parking lots.
Arbutus sp.	15-30' x	E	M/L	Tolerates high wind and fluctuating water
Strawberry Tree	15-30'			qualities. Drought tolerant once
A. 'Marina'				established.
Brachychiton acerifolius/				
Illwarra Flame Tree				
Calocedrus decurrens/	40-80' x	Е	M/L	Slow growth at first, but will grow up to 2'
Incense Cedar	6-10'			per year after established; needs
				well-drained soil.
Causarina cunninghamiana	50-70'x30'	E	M/L	Native to Australia. Performs well without
River She Oak				summer watering.
Cinammomum camphora	50-65'x50-	E	М	Native to China and Japan. Excellent tree
Camphor Tree	60'			for lawn areas.
C. arozonica/	35-50' x	Е	L/VL	Requires little or no water after
Arizona cypress	20-30'			established. Slow grower in native

				conditions but with water and good
				drainage can grow quickly.
Feijoa sellowiana/	10-15'x	E,F	M/L	Full sun. Small specimen tree.
Pineapple Guava	10-15 %	⊑,г	IVI/L	Full suit. Small specimen tree.
Geijera parviflora	20-35' x	E	M/L	Full sun or light shade. Drought tolerant.
Australian Willow	20-33 X 20-30'	Е	IVI/L	Full sull of light shade. Drought tolerant.
	35-40'x35'	D	M	Native to South America, Shown flowers
Handroanthos heptaphyllus Pink Trumpet Tree	35-40 X35	D	IVI	Native to South America. Showy flowers.
•				
Hesperocyparis forebesii/Tecate cypress				
Hymnesporum flavum/	20-35'x20'	E	М	Native to Australia.
Sweetshade	20-33 820	E	IVI	Native to Australia.
Jacaranda mimosifolia/	25-40' x	D, F	M	Do not use near walkways or parking lots.
Jacaranda	25-40 x 25-35'	<b>D</b> , г	IVI	Do not use near walkways or parking lots.
	25-35 10-40' x	ГМ	N4/I	Needs full suppersonable drained soils
Juniperus californica	10-40 x 10-40'	E, N	M/L	Needs full sun, coarse well-drained soils.
California Juniper	15-25' x	D. F.	M	Flowers may stain navement/sars
Lagerstroemia hybrids/	15-25 X   15-25'	D, F	IVI	Flowers may stain pavement/cars.
Crape Myrtle	25-30 x	гг	N / / I	
Laurus n.' Saratoga'/	25-30 x 20-25	E, F	M/L	
Saratoga Laurel	35-45' x	E	M/L	Full cup to partial chade. Drought
Lophostemon confertus/ Brisbane Box	25-35'	Е	IVI/L	Full sun to partial shade. Drought tolerant.
	20-25' x		M	
Magnolia grandiflora/	10-15'	E,F	IVI	Narrow and slow; good for small spaces.
Magnolia	10-15			
M. g. 'Little Gem'				
M. g. 'Majestic Beauty'				
M. g. 'San Marino'	40-50' x			
ivi. g. Sair iviariilo	20-25'			
Markhamia lutea/	20-40' x	E, F		Hard to find but good tree to have on
Bell Bean Tree	20-40'	L, I		campus. Not messy.
Ben Bean free	20 40			cumpus. Not messy.
Melaleuca species		E, F		
Weldleded species		-, .		
M. guinguinervaria				
Flaxleaf Paperbark				
M. q. 'Snow in Summer'	20-30' x	E, F	М	
	20-25'	,		
M. stypheloides	20-40' x	E, F	М	
Prickly Paperbark	10-20'	•		
Metrosideros excelsus/	15-30'x	E,F	M/L	Full sun. Best suited for coastal climate.
New Zealand	15-30'	,	,	

June 13, 2018 University of California, Irvine

Christmas Tree				
Michelia doltosopa				
Pinus canariensis	50-80' x	E	M/L	Posists root rot. Noods supplemental
Canary Island Pine	20-35'		IVI/L	Resists root rot. Needs supplemental water. Use sparingly. Highest percentage of urban canopy.
P. couleteri Coulter Pine	30-80' x 20-40'	E	L/VL	Large cones dangerous around walkways, stairs, and parking lots. Plant prior to winter rains. Needs dry soils.
P. eldarica Afghan Pine	30-80' x 15-25'	E		Interesting cone structure.
P. pinea Italian Stone Pine	40-80' x 40-60'	E	M/L	College of Med., Aldrich Park, Krieger Hall; full sun and well drained soils; Drought tolerant.
Pinus torreyana Torrey Pine	40-60' x 25-40'	E	L/VL	Pruning causes branches to die back; less open in heavy soils. Drought tolerant.
Pistacia chinensis Chinese Pistache	30-60' x 30-60'	SE-D, F	М	Full sun, drought tolerant once established.
		E	M	Best suited for well-drained soils. Full sun
Podocarpus henkelii Long-leafed Yellowwood	30-50' x 12-20'		IVI	to partial shade.
P. macrophyllus/ Yew Pine	40-50' x 20-25'	E	М	Full sun or partial shade. Drought tolerant once established.
Prunus caroliniana	20-30' x	E, F	М	Street planting is discouraged due to
Carolina Laurel Cherry	15-25'	_,.		messiness; adult trees need less irrigation.
Prunus lyonii	30-45' x	E, F	M/L	Do not use as street trees, fruit droppings
Catalina Cherry	20-30'	_, .	, =	are a hazard; highly disease tolerant;
				heavy soils may cause shorter life span.
Rhus lancea	20-30' x	E,F	M/L	
African Sumac	20-35'	<b>_</b>	,	
Quercus engelmannii/				
Englemann Oak				
Quercus suber/				
Cork oak				
Quercus virginiana	40'-70'x	E	М	Tolerates heat and aridity. Does well with
Southern Live Oak	90'			regular moisture. Durable.
Sambucus nigra 'mexicana'/	15-30' x	D, F	M/L	Native to coastal sage scrub community.
Blue Elderberry	8-20'			Drought tolerant.
Sapium sebiferum				
Chinese Tallow Tree				
Schinus molle				

Sophora japonica	50-70' x	D, F	М	
Japanese Pagoda Tree	50-70'			
Taxodium distichum/				
Bald cypress				
Taxodium mucronatum/	40-60'x	Е	М	Native to Mexico. Grows best with regular
Montezuma cypress	30-40'			water.
Thuja plicata/				
Western Red Cedar				
Tipuana	25-40' x	SE, F	М	Very clean. Requires additional
Tipu Tree	30-60'			maintenance due to fast growth. Parking
				lots, courtyards
Ulmus parviflora				
Chinese elm				

# **SHRUBS**

SPECIES NAME	SIZE (H X	TYPE	WATER	CAMPUS USE AND EXPERIENCE
Botanical/Common Name	W)		REQ.	
Abelia grandiflora	8-10' x	E- SE, F	M	Not drought tolerant. Moderate growth.
Glossy abelia	5'			
Abutilon palmeri/	6-8ft tall	SE, F	M/L	Adapted to low and intermediate desert
Desert Mallow				climate and reduced summer water.
Arctostaphylos	Varies	E,F	M/L	Drought tolerant once established. Prune
Manzanita	dependi	_,.	, =	new wood only. Slow to moderate growth.
	ng on			
'Howard McMinn'	cultivar			
Tioward Meivinii	Carcival			
'Joyce Coulter'				
'Point Reyes'				
Artemisia californica	11/2-5' x	E, N, F	L/VL	Drought tolerant.
California Sagebrush	4-7'	, ,	,	
A. 'Canyon Gray'				
Baccharis pilularis	3' x 4-5'	E, F	M/L	Tolerates desert heat. Resists root rot
'Centennial'		,	,	caused by water molds.
B. p. 'Twin Peaks'				
•				

Callistemon sp.				
'Slim'				
'Little John'				
Ceanothus	Varies	E,F	M/L	Most are short-lived. Some drought
California lilac	Varies	<u>-</u> ر-	141, 2	tolerant; others require summer water. Fast
				growth.
'Dark Star'				
'Louis Edmunds'				
'Snow Flurry'				
Cercocarpus betuloides/	5-12' x	E,F	L/VL	Slow to moderate growth.
Mountain Ironwood	5-12'			
C. minutiflorus/			L/VL	Native to dry foothills in Southern
S.D. Mountain Mahogany				California.
Cistus species				- Cumorrius
C. purpureous	4' x 4'	E,F	M/L	Fire retardant. Do not use root bound
Orchid Rockrose				specimens.
C. pulverulentus 'Sunset'				
Comarostaphylis diversifolia	6-18' x	E,N,F	M/L	
Summer Holly	4-8'	_,,,,,	, _	
Coprosma 'Verde Vista'	2-3' x	E.F	М	
	6-8'			
Cotoneaster species	Varies	E or D, F.	М	
	dependi			
	ng on			
	cultivar			
Cotoneaster dammeri 'Lowfast'	1' x 2'	E,F	M	
Bearberry Cotoneaster	1 X Z			
Eleagnus pungens	10-15' x	E,F	M/L	+
Silverberry	10-15 \	<b>∟</b> ,ı	'*'/ -	
Fremontodendron	20' x 12'	E, N, F	L/VL	Absolutely no summer water. Conical seed
Californicum		, -, -	,	capsules can irritate skin.
California Flannel Bush	<u> </u>			<u> </u>
Galvezia speciosa	3' x 5'	E,F	M/L	Not drought tolerant.
Island Bush Snapdragon				
Garrya eliptica	10-20' x	E,F	M/L	
Coastal silk tassel	10-20'			
Grevillea 'Noellii'	4' x 4-5'	E,F	M/L	Not drought tolerant.

'Noell' Grevillea				
Hakea laurina	10-25' x	E,F	M/L	Hakea laurina
Sea Urchin Tree	9-30'	·		Sea Urchin Tree
Heteromeles arbutifolia	6-10' x	E,N,F	M/L	Subject to fire blight. Tolerates drought but
Toyon	6-10'	, ,		prefers moderate water.
Iva hayesiana	2-3' x	E,F	M/L	
San Diego Marsh Elder	4-5'			
Lavandula species				
L. dentata	3-4' x	E,F	M/L	
French Lavender	4-6			
L. pinnatta (multifida)	1½'x	E,F		
Fernleaf LavendeR	2-3'			
			_	
L. stoechas	2-3' x	E	M/L	
Spanish Lavender	2-3'			
Lavatera assurgentiflora	12' x 12'	E,N,F	M/L	Best growth from seed. Needs annual
Tree Mallow				pruning.
Leucophyllum species				Good foundation shrub. Drought tolerant.
Lavaga bullung fruitaga a	7171	ENE	1.64	
Leucophyllum frutescens	7' x7'	E,N,F	L/VL	
compacta 'Compact Texas Ranger'				
Compact lexas Kanger				
Leptospermum	Varies	E,F	M/L	
Tea Tree				
Ligustrum japonicum/				
Waxleaf Privet				
Mahonia pinnata	4-5' x	E,N,F		
California Holly Grape	4-5'			
Mahonia repens	1' x 3'	E,N,F		
Creeping Mahonia				
Nalaana la visa	12.20	FF	1 / / //	Fine sight date as birth offered and the control of
Malosma laurina	12-20' x	E,F	L/VL	Fire risk due to high oil and resin content of
Laurel Sumac	12-20'	r N. F	N A /1	plant.
Myrica californica	10-30' x	E,N,F	M/L	
Pacific Wax Myrtle	10-30'	EF	N / / I	Subject to fire blight code week askids
Pyracantha koidzumii 'Santa Cruz'	3-6' x 10'	E,F	M/L	Subject to fire blight, scale, wooly aphids
Cruz   Firethorn 'Santa Cruz'	10			and red spider mites. Not drought tolerant.
Rhamnus califonica	3-15' x	 E,F	M/L	Native to southern California. Needs good
Coffeeberry	8, 2-12 x	۱,۱	IVI/L	-
Confederty	"			uramage.
Coneeberry	٥			drainage.

R. 'Mound San Bruno'				
Rhaphiolepis	Varies	E,F	М	Not drought tolerant. Good shrub for
Hawthorne				hedges.
Rhaphiolepis indica	2-3' x	E,F		Low growing cultivar.
'Ballerina'	2-3'			
'Clara'	3-5' x	E,F		
Ciara	4-6'			
R. integrifolia/	3-10' x	E,N,F	L/VL	California native.
Lemonade berry	3-10'			
Ribes sanguineum	5-12' x	SE,N,F	H/M	Good in shade.
Pink Winter Currant	5-12'			
R. speciousm	4-8' x	E,N,F	M/L	
Fuchsia	6-10'	L,1N,1	IVI/ L	
Flowering Gooseberry	0 10			
riowering dooseserry	3-6' x	E,N,F	M/L	
R. viburnifolium	12'	2,14,1	141,7 =	
Evergreen Currant				
Romneya coulteri	6-10' x	Perennial F	L/VL	Young plants sometimes struggle to
'White Cloud'	5-10'		,	become established; when established
				sometimes hard to contain.
Rosa banksiae	10-20' x	E,F	М	Almost disease proof. Aphid resistant
Lady Banks Rose	20-25'			
Daga californica	10.201	ENE	N / / I	Notice to south an Colifornia Highly
Rosa californica	10-20' x 20-25'	E,N,F	M/L	Native to southern California. Highly
Rosmarinus officinalis	20-25 2' x 4-8'	ГГ	N / / I	adaptable.
'prostratus'	2 X 4-8	E,F	M/L	
Prostate Rosemary				
Ruellia species	2-4' x	E,F	M/L	Drought tolerant.
Nuellia species	2-4 7	L,1	IVI/ L	Drought tolerant.
R. brittoniana/				
Kate Pink Dwarf Ruellia				
The state of the s				
R. californica/				
California Petunia		<u>                                      </u>		
Salvia species:	3-5' x	E,F		Salvia species can be short-lived.
	3-5'			
S. apiana	1-4' x	E,F	L/VL	Goes dormant in fall.
White Sage	1-4 X 1-4'		L/ VL	Goes dominant in fail.
willie Jage	1-4			
S. greggii		E,N,F	L/VL	

Autumn Sage	3-5' x			
	3-5'			
S. 'Winifred Gilman'				
Sphaeralcea ambigua				
Desert Mallow				
Tecoma stans	10'-25'	E,F	M/L	
Yellow bells	tall			
Trichostema lanatum	3-5' x	E,N,F	M/L	Needs perfect drainage.
Woolly Blue Curls	4-8'			

# **GRASSES**

SPECIES NAME	SIZE (H X	CHARACTER	WATER	CAMPUS USE AND EXPERIENCE
Botanical/Common Name	W)	ISTICS	REQ.	
Boutelea g. 'Blonde	18"			
Ambition'/				
Blonde Ambition Grama				
Grass				
Carex species				Clumping grass. Cut back once a year.
C. divulsa/	18"		М	
Berkeley sedge				
C. pansa		Mowable	M	
C. praegricilis		Mowable.	М	
Dianella sp.				
Festuca mairei/	3'		М	Clumping grass. Cut back once a year.
Atlas Fescue				,
Leymus species				Clumping grass. Cut back once a year.
				, , , ,
L. c.'Canyon Prince'	3'		М	
L. t. 'Lagunitas'		Mowable.	М	Takes moderate foot traffic.
Lomandra 'Breeze'/	2'x3'	Ornamental	L	Australian native. Does well with Eucalyptus
Dwarf Mat Rush				species.
Muhlenbergia species	4' x 4'	Perennial, N	M/L	Plant plugs 1-2' apart for best results.
M. lindheimeri				
NA vissas/				
M. rigens/				
Deer Grass				

M. 'Regal Mist'			
Pennisetum spathiolatum Silver Sveldt Grass	2'	М	

# **GROUNDCOVER and VINES**

SPECIES NAME	SIZE (H X	TYPE	WATER	CAMPUS USE AND EXPERIENCE
Botanical/Common Name	W)		REQ.	
Achillea species Achilla millefolium 'Common yarrow Paprika'	18-30"	E,F	M/L	
Bulbine frutescens				
B. p. 'Twin Peaks'/ Dwarf Coyote Bush	8-24" x 6'	E,N	M/L	
Bougainvillea species/ Bougainvillea	Varies dependi ng on cultivar	E,F	M/L	Roots are easily damaged. Blooms best with water.
Calystegia macrostegia Island Morning Glory	2' x 2'	SD,N,F		Becomes deciduous under water stress.
Carrissa grandiflora 'Green Carpet' Green Carpet Natal Plum	1 ½ ' x 4-6'	E,F	M	Spines can be hazardous if planted too close to walkways.  Not drought tolerant.
Ceratostigma plumbaginoides Dwarf Plumbago	6-12" x 2'	Perennial F	M	
Corethogyne leucophylla/ Carmes Aster				
Delosperma 'Alba' White Trailing Ice Plant	6-12" x ind.	Perennial F	L/VL	Plant plugs 12" apart for best coverage. Fire retardant.
Dianella species 'Little Becca'		E,F	М	Good in full sun to full shade, drought tolerant http://www.landscapegardeningplants.com/landscapenews/plantprofile_littlebecca.html
Drosanthemum floribundum Rosea Ice Plant	6" x ind.	Perennial F	L/VL	Fire retardant.
Fragaria californica/				

June 13, 2018 University of California, Irvine

California strawberry				
Galvesia speciosa	3' x 5'	E,N,F.	M/L	
Island Bush Snapdragon		, ,	,	
Grindelia camporum/	1-2' x 3'	E,N,F		Tolerates salt conditions.
Great Valley Gum Plant		, ,		
·				
Hardenbergia violcea	3' x 3'	E,F	M/L	Prone to spider mites and nematodes.
False Sarsaparilla				
Heuchera species/	Varies	Perennial, F	H/M	
Alum Root				
Hypericum calicynum	1' x	E to SE, F	M	Plant plugs 18" apart for best results.
Creeping St. Johnswort	indefinit			Mow every 2-3 years during dormant period.
	е			Can be invasive.
Iris douglasiana/	12-18" x	E,N,F	H/M	
Pacific Coast Iris	1'			
Iva hayesiana	1-3′ x	E, N, F	M/L	Mow every 3-5 years.
San Diego Marsh Elder	8-12'			
Juniperus rigida conferta	Varies	E, F	M/L	Variegated species burn in hot sun.
Shore Juniper				
1				
J. horizontalis	Varies	E, F	M	
Creeping Juniper			1:	
Lantana montevidensis	2' x 3-6'	E, F	M/L	
Trailing Lantana	C"11			Dis at 40" O C
Lessingia filaginifolia 'Silver	6"H x		L	Plant at 18" O.C.
Carpet'/ California Aster	2'W			
Lobelia laxiflora	2-3' x	Perennial, F	M/L	
Mexican bush lobelia	4-6'	Perennai, F	IVI/ L	
Lonicera japonica 'Halliana'	30'	E, F	M	Needs severe pruning once a year if used as
Hall's Japanese Honeysuckle	30	L, I	IVI	fire retardant.
Macfadyena unguis-cati	25-40'	E or D; F	M	ine retardant.
Cat's Claw Vine	25 40		141	
Mahonia aquafolium	2-3' x 5'	E, F		
'compacta'		_, '		
Oregon Grape				
M. repens	1' x 3'	E, F		
Creeping Mahonia	<u> </u>			
Myoporum species	2' x 30'	E, F		Resistant to leaf virus.
M. 'New Port Coast'				
M. 'Putah Creek'				
Oenothrea stubbei/	5" x 4'	Perennial, F	M/L	

June 13, 2018 University of California, Irvine

Saltillo Evening Primrose				
Plecostachys serpyllifolia/	1 ½' x 3'	Perennial, F	M/L	
Asteraceae				
Rosemarinus officinalis	2' x 4-8'	E, F	M/L	Plant 2' apart for faster coverage.
/'prostratus'				
Creeping Rosemary				
Senecio Manaraliscae	1.5'x3'			Plant 3' OC.
/Kleinia				
Sisyrinchim bellum/	4-24" x	Perennial N,	M/L	
Blue-Eyed Grass	6-24"	F		
Solanum jasminoides	30'	E, F	М	
Potato Vine				
Westringia species			M/L	
W. 'Mundii'				

## Perennials

SPECIES NAME Botanical/Common Name	SIZE H x W	TYPE	WATER REQ.	CAMPUS USE AND EXPERIENCE
Centranthus rubra Jupiter's Beard	3' x 3'	Perennial, F	M/L	Can become invasive. Cut old flowering stems to prevent self seeding.
Dietes Fortnight Lily	Varies dependi ng on cultivar	Perennial, F	M	Plant from containers setting 2' apart. Once established can do well in poor soils and little water.
Gaura lindheimeri Gaura	2 ½ -4' x 2-3'	Perennial, F	M/L	Drought tolerant. Flower spikes should be removed to improve appearance, prolong bloom and reduce self sowing seeds.
Geranium incanum Cranes Beak Geranium	6-10" x 2'	Perennial, F	M/L	Endures heat but needs some summer water. Can be invasive through self-seeding.
Lantana ssp.	Varies	Perennial, F	M/L	Prone to mildew in shade. Prune hard in spring to prevent woodiness. Too much water and fertilizer reduces bloom.
Limonium perezii Statice (Sea lavender)	3' x 3'	Perennial, F	M/L	
Nemesia frutescens	2' x 1'	Perennial, F		Cut plant back to stimulate new growth.

Penstemon	Varies	Perennial, F	L/VL	
Beard tongue		·	,	
Rosa 'Multabilis'	3-6' x	Perennial, F	М	Light open habitat.
Butterfly Rose	3-6'			Tolerates poor soil, partial shade, and high humidity.
Rosa 'Playgold' Dwarf Rose 'Playgold'	1-1 ½ ' x 2'	Perennial, F	М	Disease resistant.
Scaveola 'Mauve Clusters' Fan Flower	4-6" x 3-5'	Perennial, F	M	Set plants 2' apart for best coverage.